

INA RCJTY7/8 bearing units

Manufacturers of 110 Outer Diameter (mm) all are represented in our partial list 63,5 Bore Diameter (mm) of clients. Contact Gary for 63.5x110x22 Size (mm) a complete INA RCJTY7/8 bearing units list of clients and projects.

Size (mm)	63.5x110x22
Bore Diameter (mm)	63,5
Outer Diameter (mm)	110
Width (mm)	22
d	63,5 mm
D	110 mm
T	22 mm
B	21,996 mm
C	18,824 mm
ra1 max.	1,3 mm
a	20,9 mm
r min.	3,5 mm
r1 min.	1,3 mm
Da	101 mm
db	70 mm
ra max.	3,5 mm
da	77 mm
Db	104 mm
Weight	0,843 Kg
Basic dynamic load rating (C)	85,5 kN
Basic static load rating (C0)	113 kN
(Grease) Lubrication Speed	3200 r/min
(Oil) Lubrication Speed	4300 r/min

Calculation factor (e)	0,4
Calculation factor (Y0)	0,82
LangID	1
ALP23	0
outer r	1.3
ALP22	0
D_	110
ALP21	30
SHOG_yobi	395R/394AR
RAr	196.722
inner r	3.5
GRS rpm	3200
D_b	104
D_a	101
DE_	99.06
SLR	14.2
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	15
SDM_	87.996
DA1	10.871
DA2	10.09
hidYobi	395/394A
Y1	1.5
B_	21.996
Oil rpm	4300
hidTable	ecat_NSTPRI
Y0	0.82
inner ra	3.5

outer rb	1.3
C0	113
CUP	0.263
e	0.4
DA_	10.483
BET21	3
BET22	10
BET23	0
Z_	22
C_	18.824
yobi	395/394A
KBRG	3161
CONE	0.58
DI_	77.704