

# INA RCJY25-JIS bearing units

INA RCJY25-JIS bearing units 9 Days or more Days to Ship Open Type Bearing Style with easy-to-use parts graphics, giving you the ability to check parts availability, pricing, examine remanufactured options.

|  |                |
|--|----------------|
| Days to Ship   | 9 Days or more |
| RoHS   | 6              |
| Bearing Style  | Open Type      |
| d  | 45             |
| D  | 85             |
| B  | 19             |
| Basic Dynamic Load Rating Cr(N)                        | 32500          |
| Allowable Rotational Velocity(Grease Lubrication)(rpm) | 7800           |
| Basic Static Load Rating Cor(N)                        | 20500          |
| Sealing Structure                                      | Open Type      |
| Type   | Ball           |
| Bearing Ring Material                                  | Steel          |
| Outer Ring Shape                                       | Flat           |
| Precision  | Grade 0        |
| Specifications, Environment                            | Standard       |
| Load Type  | Radial         |
| Number of Raceway Ring Rows                            | Single Row     |
| Size Standards   | Metric System  |
| Transmitter Material                                   | Steel          |
| Retainer Type  | Punching       |
| Inner/Outer Ring Material                              | [Steel] Steel  |
| I.D.(Ø)  | 45             |

|                                     |                 |
|-------------------------------------|-----------------|
| O.D.(Ø)                             | 85              |
| Width(mm)                           | 19              |
| Basic Dynamic Load Rating(N)        | 31500           |
| Max. Allowed rpm(rpm)               | 7500            |
| Rolling Element Material            | [Steel] Steel   |
| Basic Load Rating, Static Rating(N) | 20400           |
| Clearance sign                      | CN (standard)   |
| Accuracy(Class)                     | Class 0         |
| Acoustic Symbol                     | No              |
| Holder Symbol                       | No              |
| Symbol of Bearing Ring Shape        | No              |
| Seal, Shield Symbols                | No              |
| Precision Grade Symbol              | No              |
| Special Configurations Code         | No              |
| Rubugado Symbol                     | No              |
| Material Symbol                     | No              |
| Spacer, Sleeve symbol               | No              |
| Types                               | No              |
| Load Direction                      | Radial          |
| Outer Ring                          | With Outer Ring |
| Combination symbol                  | No              |
| Low Torque Specification            | No              |
| Internal Symbol                     | No              |
| Torque Symbol                       | No              |
| Specifications/Environment          | Standard        |