

INA RCSMF17 bearing units

INA RCSMF17 bearing units Manufacturers , Online Wholesale 250x125x68 Size (mm) Suppliers !

Size (mm)	250x125x68
Bore Diameter (mm)	250
Outer Diameter (mm)	125
Width (mm)	68
d1	125 mm
D	250 mm
B	68 mm
d2	161 mm
d3	165 mm
D1	225 mm
B1	97 mm
B4	24 mm
b	11.1 mm
K	6 mm
r1,2 – min.	3 mm
da – max.	161 mm
db – min.	149 mm
Da – max.	236 mm
Ba – min.	8 mm
ra – max.	2.5 mm
Basic dynamic load rating – C	744 kN
Basic static load rating – C0	900 kN
Fatigue load limit – Pu	86.5 kN
Limiting speed	670 r/min

Calculation factor – e	0.24
Calculation factor – Y1	2.8
Calculation factor – Y2	4.2
d2 ≈	161 mm
D1 ≈	225 mm
r1,2 min.	3 mm
da max.	161 mm
db min.	149 mm
Da max.	236 mm
Ba min.	8 mm
ra max.	2.5 mm
Basic dynamic load rating C	744 kN
Basic static load rating C0	900 kN
Fatigue load limit Pu	86.5 kN
Calculation factor e	0.24
Calculation factor Y1	2.8
Calculation factor Y2	4.2
Calculation factor Y0	2.8
Mass bearing + sleeve	17.6 kg