

INA SL05 026 E cylindrical roller bearings

Request A Quote For Your Special INA SL05 026 E cylindrical roller bearings Needs Today! Free Quotes. 90x160x30 Size (mm) ISO 9001 certified.

Size (mm)	90x160x30
Bore Diameter (mm)	90
Outer Diameter (mm)	160
Width (mm)	30
d	90 mm
D	160 mm
B	30 mm
C	30 mm
r min.	2 mm
da min.	99 mm
Da max.	151 mm
ra max.	2 mm
Weight	2,55 Kg
Basic dynamic load rating (C)	57,5 kN
Basic static load rating (C0)	23,5 kN
(Grease) Lubrication Speed	3 600 r/min
(Oil) Lubrication Speed	4 300 r/min
Calculation factor (e)	0,17
Calculation factor (Y0)	3,9
Calculation factor (Y2)	5,8
SRI	8.33
Y3	3.8

hidYobi	1218
LangID	1
PCD	124.5
D_	160
Y2	5.8
SREX	0
cyl count	19
B_	30
hidTable	ecat_NSSAB
Oil rpm	4300
SRE	0
Y0	3.9
mass	2.5
ra	2
GRS rpm	3600
SRIX	0.065
groove inner	108.62
D_a	151
SRIN	0
C0	23.5
groove outer	141.149
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1
da	99
X2	0.65
e	0.17
yobi	1218

r	2
KBRG	1352
CAng	6.37
cyl dia	15.875