

# INA SL14 916 cylindrical roller bearings

Shop INA SL14 916 cylindrical roller bearings huge online discount inventory. and Import machinery parts your 16x4x5 Size (mm) car needs with 16 Bore Diameter (mm) Free Shipping and Free Extended 4 Outer Diameter (mm) Warranty.

|                               |             |
|-------------------------------|-------------|
| Size (mm)                     | 16x4x5      |
| Bore Diameter (mm)            | 16          |
| Outer Diameter (mm)           | 4           |
| Width (mm)                    | 5           |
| d                             | 4 mm        |
| D                             | 16 mm       |
| B                             | 5 mm        |
| d1                            | 8.4 mm      |
| D2                            | 13.3 mm     |
| r1,2 – min.                   | 0.3 mm      |
| da – min.                     | 6.4 mm      |
| da – max.                     | 8.3 mm      |
| Da – max.                     | 13.6 mm     |
| ra – max.                     | 0.3 mm      |
| Basic dynamic load rating – C | 1.1 kN      |
| Basic static load rating – C0 | 0.38 kN     |
| Fatigue load limit – Pu       | 0.016 kN    |
| Reference speed               | 95000 r/min |
| Limiting speed                | 60000 r/min |
| Calculation factor – kr       | 0.03        |
| Calculation factor – f0       | 8.4         |

|                             |           |
|-----------------------------|-----------|
| d1 ≈                        | 8.4 mm    |
| D2 ≈                        | 13.3 mm   |
| r1,2 min.                   | 0.3 mm    |
| da min.                     | 6.4 mm    |
| da max.                     | 8.3 mm    |
| Da max.                     | 13.6 mm   |
| ra max.                     | 0.3 mm    |
| Basic dynamic load rating C | 1.11 kN   |
| Basic static load rating C0 | 0.38 kN   |
| Fatigue load limit Pu       | 0.016 kN  |
| Calculation factor kr       | 0.03      |
| Calculation factor f0       | 8.4       |
| Mass bearing                | 0.0054 kg |