

INA SL14 922 cylindrical roller bearings

Can't find 0.0 Inventory what you're looking for N/A Minimum Buy Quantity INA SL14 922 cylindrical roller bearings TIMKEN Manufacturer Name ? Our expert Representatives be in contact with you shortly!

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	579.237
EAN	0087796245198
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH30/670 (Specify bore)
Inch – Metric	Metric
Long Description	670MM Tapered Bore; 980MM Outside Diameter; 230MM Width; C0-Medium Clearance; Adapter Mount; Double

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	230/670 KYMBW507C08
Weight / LBS	1,277
Adapter Part Number	SNW30670 (Specify bore) Inch H30/670HG (Specify bore) Millimeter
d	26.378 Inch 670 Millimeter
D	38.583 Inch 980 Millimeter
B	9.055 Inch 230 Millimeter
Design Unit	METRIC
Bore Taper	1/12
Bearing Weight	596.000 Kg
Cage Type	YMB
UPC Code	087796245198
d – Bore	670.000 mm
D – Outer Diameter	980.000 mm
B – Inner Ring Width	230 mm
B – Outer Ring Width	230.000 mm
R – Inner Ring To Clear Radius1	6.000 mm
r – Outer Ring To Clear Radius2	6.000 mm
da – Inner Ring Backing Diameter	744.000 mm
Da – Outer Ring Backing Diameter	911.000 mm
C0 – Static Radial Rating	15800000 N

C1(2) – Dynamic Radial Rating (Two-Rows)	7890000 N
e – ISO Factor ³	0.22
Y0 – ISO Factor ⁴	3.12
Y1 – ISO Factor ⁵	4.65
Y2 – ISO Factor ⁶	3.05
Reference Thermal Speed Rating (Grease)	330
Reference Thermal Speed Rating (Oil) ⁷	380
Cg – Geometry Factor ⁸	0.1257