

# ISB 2219 K+H319 self aligning ball bearings

How do you find 0.0 Inventory the ISB 2219 K+H319 self aligning ball bearings specification? Manufacturers Online Free check

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	27.02
EAN	0013992055460
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSM85BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Metric
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80

Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	59.51
D	2.953 Inch   75 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
d	3.346 Inch   85 Millimeter
Actual Bolt Center to Center	12.6 Inch   320Millimeter
Nominal Bolt Center to Center	12.6 Inch   320 Millimeter
B	4.409 Inch   112 Millimeter
Shaft Size	85 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Angled
Bolt Size	2 x M20
Dimension H	112 mm
Dimension H2	242 mm
Dimension J	290 mm
Dimension L	345 mm
Dimension M	100 mm
Housing Width	5.4 in
Cr – Dynamic Load Rating	42039 lbf
Cor – Static Load Rating	51931 lbf
Ca – Axial Load Rating	2787.59 lbf
Maximum Speed	2790 rpm

Note

This product line was formerly known as "Revolvo"