

# ISB 23128 EKW33+AHX3128 spherical roller bearings

ISB 23128 EKW33+AHX3128 spherical roller bearings Product Brochures 75 Bore Diameter (mm) , Manufacturing 45,6 mm S1 Service . Get Your Free.

Bore Diameter (mm)	75
d	75 mm
S1	45,6 mm
Thread (Q)	Rp1/8
d3	100 mm
A	66 mm
A1	48 mm
B1	67 mm
H	82,5 mm
H1	27,5 mm
H2	164 mm
J	210 mm
L	265 mm
N	22 mm
N1	30 mm
Weight	7,65 Kg
Basic dynamic load rating (C)	62 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	9.161
EAN	4012802818505

Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE75KPPB3
Seals	Double Triply
Housing Configuration	1 Piece Solid
Inch – Metric	Metric
Other Features	Single Row   Standard Shaft Height   With Set Screw
Long Description	2 Bolt Pillow Block; 75MM Bore; 82.6MM Base to Center Height; Eccentric Collar Mount; Ball Bearing;
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	TASE75
Weight / LBS	16.604
Nominal Bolt Center to Center	8.3 Inch   210 Millimeter
Bolt Spacing Maximum	8.583 Inch   218Millimeter
Length Thru Bore	2.642 Inch   67.1 Millimeter
Bolt Spacing Minimum	8.031 Inch   204Millimeter
Base to Center Height	3.252 Inch   82.6 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter

Bore	2.953 Inch   75 Millimeter
------	----------------------------