

ISB 23134 EK30W33+AH3134 spherical roller bearings

What is the best place to buy N/A Minimum Buy Quantity ISB 23134 EK30W33+AH3134 spherical roller bearings online? 0.0 Inventory SKF Manufacturer Name Manufacturing Service .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.18
EAN	7316577003577
Product Group	B04286
Stud Profile	Female
Mounting Thread	M14 X 2
Thread Direction	Left Hand
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Steel
Relubricatable	Yes
Enclosure	Open
Other Features	3 Piece Zinc Plated Outer
Long Description	15MM Bore; 10.5MM House Width; Female Stud Profile; M14 X 2; Left Hand Thread Direction; Spherical P
Inch – Metric	Metric
UNSPSC	31171508
Harmonized Tariff Code	8483.30.80.55

Noun	Bearing
Keyword 3	Rod End
Keyword String	Plain Spherical Rod End
Manufacturer Item Number	SIL 15 ES
Weight / LBS	0.397
Housing Width	0.413 Inch 10.5 Millimeter
d	15 mm
Ball Width	0.472 Inch 12 Millimeter
bore diameter:	15 mm
ball material:	Steel
misalignment angle:	8 °
race material:	Steel
shank thread length:	21 mm
radial static load capacity:	37.5 kN
rod end type:	Female Threaded
operating temperature range:	-50 to +300 °F
shank thread size:	M14
head diameter:	41 mm
thread direction:	Left Hand
head width:	10.5 mm
grade:	Commercial/Industrial
ball width:	12 mm
lubrication type:	No Fitting
length to ball center:	61 mm
housing material:	Zinc-Plated Steel
d2 max.	41 mm
B	12 mm
G	M 14
C1 max.	10.5 mm

h1	61 mm
α	8 °
dk	22 mm
d4 ≈	22 mm
l3 min.	21 mm
l4 max.	83 mm
l5 ≈	14 mm
l7 min.	19 mm
w	19 mm
r1 min.	0.3 mm
Basic dynamic load rating C	17 kN
Basic static load rating C0	37.5 kN
Specific dynamic load factor K	100 N/mm ²
Material constant KM	330
Mass rod end	0.18 kg