

# ISB NN 3076 K/SPW33 cylindrical roller bearings

LET OUR ISB NN 3076 K/SPW33 cylindrical roller bearings EXPERTS GET YOU THE 0.0 Inventory PARTS YOU NEED.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	10.085
EAN	7316570462524
Product Group	M06288
inside diameter:	70 mm, 3.0000 in, 75 mm, 2.9375 in
housing material:	Cast Iron
base to bore centerline:	95 mm
compatible bearing type:	Spherical Roller
overall length:	12.6250 in
finish/coating:	Uncoated
overall height:	7.2500 in
compatible bearing series/part number:	22217 EK, 1217 K, 2217 K, C2217 K
overall width:	4.9375 in
bolt center-to-center length:	10-1/4 in
mounting:	Two-Bolt Base
base width:	3-5/8 in
housing construction:	Split Pillow Block
series:	SNL

compatible bore diameter:	70 mm, 3.0000 in, 75 mm, 2.9375 in
standards met:	ISO/DIS 185 Grade 200
Bearing (basic designation)	C 2217 K
Adapter sleeve	HE 317 E
Locating ring	2 x FRB 12.5/150
da	76.2 mm
Ca	61 mm
Da	150 mm
Db	97.5 mm
A	125 mm
A1	90 mm
H	183 mm
H1	95 mm
H2	32 mm
J	260 mm
L	320 mm
N	28 mm
N1	22 mm
J6	292 mm
J7	33 mm
N4 max.	8 mm
A2L	143 mm
TSN 517 C TSN 5	2 x TK 517 ASNH
P0°	370 kN
P55°	480 kN
P90°	290 kN
P120°	205 kN
P150°	190 kN

P180°	240 kN
Pa	155 kN
Q120°	220 kN
Q150°	125 kN
Q180°	110 kN
Mass housing	10 kg
Cap bolt, size	M 12×80
Cap bolt, rec. tightening torque	80 N·m
Appropriate attachment bolt, size G	20 mm
Appropriate attachment bolt, rec. tightening torque	385 N·m
Initial grease fill, 20%	200 g
Initial grease fill, 40%	330 g
Lock nut	KM 14
Lock washer	MB 14
db	80 mm
TSN 314 A	2 x TSN 314 S
A2T	210 mm
d2	155 mm