

# ISB NNU 4160 M/W33 cylindrical roller bearings

ISB NNU 4160 M/W33 cylindrical roller bearings SEARCH – Whether it's agriculture or construction equipment N/A Minimum Buy Quantity your working 0.0 Inventory NSK Manufacturer Name on, Has the you need.

Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	1.15
EAN	0029176019197
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch – Metric	Metric

Long Description	50MM Bore; 110MM Outside Diameter; 27MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of B
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer Item Number	7310BYG
Weight / LBS	1.15
d	1.969 Inch   50 Millimeter
D	4.331 Inch   110 Millimeter
B	1.063 Inch   27 Millimeter
bore diameter:	50 mm
radial static load capacity:	4900 kgf
outside diameter:	110 mm
operating temperature range:	Maximum of +250 °F
overall width:	27 mm
cage material:	Brass
contact angle:	40 °
outer ring width:	27 mm
row type & fill slot:	Single-Row Non-Fill Slot
maximum rpm:	6700 RPM
internal clearance:	C0
finish/coating:	Uncoated
closure type:	Open
precision rating:	ABEC 1 (ISO Class Normal)
bearing material:	Steel (Balls)
fillet radius:	2 mm
radial dynamic load capacity:	6950 kgf

series:

73