

# ISB NUP 230 cylindrical roller bearings

Browse ISB NUP 230 cylindrical roller bearings 0.0 Inventory Categories in the Manufacturers Online Free. including .

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
EAN	0013992062567
Weight / US pound	0.01
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSE515BR
Seals	High Temperature Packing
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row   Medium Duty   With Support   Wide Inner Ring   Axial Float
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80

Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	337.43
B	8.268 Inch   210 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Nominal Bolt Center to Center	22 Inch   558 Millimeter
D	4.874 Inch   123.8 Millimeter
d	5.938 Inch   150.825 Millimeter
Actual Bolt Center to Center	22 Inch   558Millimeter
Shaft Size	5-15/16 in
Seal Type	High Temperature Packing
Bearing Type	Split Cylindrical Retained Type
Support Type	Four-Bolt Plummer Block
Series Type	Medium Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – SAFQ
Bolt Size	4 x 1
Bearing UPC	013992032898
Dimension H	7-1/16 in
Dimension H2	15.75 in
Dimension J1	21-5/8 in
Dimension J2	19-3/8 in
Dimension K	4-1/4 in
Dimension L	24-3/4 in
Dimension M	6-3/4 in
Housing Width	8.0 in
Cr – Dynamic Load Rating	164289 lbf
Cor – Static Load Rating	232600 lbf

Maximum Speed	1320 rpm
Note	This product line was formerly known as "Revolvo"