

# ISO 230/950 KCW33+AH30/950 spherical roller bearings

ISO 230/950 KCW33+AH30/950 spherical roller bearings manufacturer and global supplier of reliable ball and roller ... ISO 230/950 KCW33+AH30/950 spherical roller bearings Industries Products Manufacturing & Engineering and Agricultural Bearings designed to meet 0.0 Inventory the unique requirements of our N/A Minimum Buy Quantity targeted industries.

Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	2.4
EAN	0029176411663
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch – Metric	Metric

Long Description	55MM Straight Bore; 120MM Outside Diameter; 43MM Width; C3-Loose Clearance; Shaft Mount; Double Row
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	22311EAE4C3
Weight / LBS	2.4
B	1.693 Inch   43 Millimeter
Adapter Part Number	Not Applicable Inch   Not Applicable Millimeter
d	2.165 Inch   55 Millimeter
D	4.724 Inch   120 Millimeter
bore diameter:	55 mm
maximum rpm:	4800 RPM
outside diameter:	120 mm
operating temperature range:	Maximum of +200 °C
overall width:	43 mm
cage material:	Steel
bore type:	Straight
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	RBEC 1 (ISO Class Normal)
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole

outer ring width:	43 mm
dynamic load capacity:	292000 N
fillet radius:	2 mm
static load capacity:	292000 N
series:	223