

ISO 33209 tapered roller bearings

ISO 33209 tapered roller bearings SKF Manufacturer Name Engineering N/A Minimum Buy Quantity Calculator 0.0 Inventory , Manufacturing Service . Get Your Free.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.694
EAN	7316577315014
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID

Long Description	40MM Bore; Straight Bore Profile; 90MM Outside Diameter; 23MM Width; Steel Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NU 308 ECJ/C3
Weight / LBS	1.529
D	3.543 Inch 90 Millimeter
d	1.575 Inch 40 Millimeter
B	0.906 Inch 23 Millimeter
bore diameter:	40 mm
static load capacity:	78 kN
outside diameter:	90 mm
precision rating:	Not Rated
overall width:	23 mm
maximum rpm:	9500 RPM
flanges:	(2) Outer Ring
bearing material:	Steel
bore type:	Straight
cage material:	Steel
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	23 mm
operating temperature range:	Maximum of +300 °F
fillet radius:	1.5 mm

dynamic load capacity:	93 kN
series:	NU3