

# ISO 54232 thrust ball bearings

How do you find 72x35x17 Size (mm) the ISO 54232 thrust ball bearings specification? 72 Bore Diameter (mm) Manufacturers Online Free check

Size (mm)	72x35x17
Bore Diameter (mm)	72
Outer Diameter (mm)	35
Width (mm)	17
d	35 mm
D	72 mm
B	17 mm
d1	46.94 mm
D2	62.69 mm
r1,2 – min.	1.1 mm
da – min.	42 mm
Da – max.	65 mm
ra – max.	1 mm
Basic dynamic load rating – C	27 kN
Basic static load rating – C0	15.3 kN
Fatigue load limit – Pu	0.655 kN
Reference speed	20000 r/min
Limiting speed	13000 r/min
Calculation factor – kr	0.025
Calculation factor – f0	13.8
Inventory	0.0
Manufacturer Name	SKF

Minimum Buy Quantity	N/A
Weight / Kilogram	0.293
EAN	7316577067449
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	35MM Bore; 72MM Outside Diameter; 17MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6207
Weight / LBS	0.64
Outside Diameter	2.835 Inch   72 Millimeter
Outer Race Width	0.669 Inch   17 Millimeter
Bore	1.378 Inch   35 Millimeter
d1 ≈	46.94 mm
D2 ≈	62.69 mm
r1,2 min.	1.1 mm
da min.	42 mm

Da max.	65 mm
ra max.	1 mm
Basic dynamic load rating C	27 kN
Basic static load rating C0	15.3 kN
Fatigue load limit Pu	0.655 kN
Calculation factor kr	0.025
Calculation factor f0	13.8
Mass bearing	0.29 kg