

# ISO 63216-2RS deep groove ball bearings

Various types and sizes to accommodate TIMKEN Manufacturer Name your ISO 63216-2RS deep groove ball bearings N/A Minimum Buy Quantity requirements. 0.0 Inventory

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	7.45
EAN	0013992049711
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	LSE200BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring   Axial Float
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	16.41
D	2.362 Inch   60 Millimeter
d	2 Inch   50.8 Millimeter
B	2.756 Inch   70 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Actual Bolt Center to Center	8.4 Inch   214Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Nominal Bolt Center to Center	8.4 Inch   214 Millimeter
Shaft Size	2 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – SAFQ
Bolt Size	2 x 5/8
Bearing UPC	013992025739
Dimension H	2-3/4 in
Dimension H2	6.15 in
Dimension J1	8-1/4 in
Dimension J2	7-3/8 in
Dimension L	9-5/8 in
Dimension M	2-3/4 in
Housing Width	3.9 in
Cr – Dynamic Load Rating	18694 lbf

Cor – Static Load Rating	19643 lbf
Maximum Speed	4630 rpm
Note	This product line was formerly known as “Revolvo”