

# ISO 7068 ADB angular contact ball bearings

170 Million used ISO 7068 ADB angular contact ball bearings instantly searchable. Shop our large selection of parts based on brand, price, description, and location. Order 79.375×150.089×44.45 Size (mm) the with stock ...

Size (mm)	79.375×150.089×44.45
Bore Diameter (mm)	79,375
Outer Diameter (mm)	150,089
Width (mm)	44,45
d	79,375 mm
D	150,089 mm
T	44,45 mm
B	46,672 mm
C	36,512 mm
ra1 max.	3,3 mm
a	32,5 mm
r min.	3,5 mm
r1 min.	3,3 mm
Da	134 mm
db	90 mm
ra max.	3,5 mm
da	96 mm
Db	142 mm
Weight	3,49 Kg
Basic dynamic load rating (C)	265 kN
Basic static load rating (C0)	370 kN

(Grease) Lubrication Speed	2400 r/min
(Oil) Lubrication Speed	3200 r/min
Calculation factor (e)	0,33
Calculation factor (Y0)	1
LangID	1
ALP23	0
outer r	3.3
ALP22	28
D_	150.089
ALP21	24
SHOG_yobi	750R/742R
RAr	330.864
inner r	3.5
GRS rpm	2400
D_b	142
D_a	134
DE_	133.092
SLR	34
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	12.233
SDM_	116.01
DA1	18.283
DA2	16.411
hidYobi	750/742
Y1	1.8
B_	46.672
Oil rpm	3200
hidTable	ecat_NSTPRI

Y0	1
inner ra	3.5
outer rb	3.3
C0	370
CUP	1.07
e	0.33
DA_	17.351
BET21	3
BET22	10
BET23	0
Z_	18
C_	36.512
yobi	750/742
KBRG	3161
CONE	2.42
DI_	98.882