

ISO 71909 CDT angular contact ball bearings

ISO 71909 CDT angular contact ball bearings Industries 70x150x35 Size (mm) and Applications ? We sell discount online 70 Bore Diameter (mm) as well as cheap machinery parts.

Size (mm)	70x150x35
Bore Diameter (mm)	70
Outer Diameter (mm)	150
Width (mm)	35
d	70 mm
D	150 mm
B	35 mm
C	35 mm
r min.	2.1 mm
da min.	81 mm
Da max.	139 mm
ra max.	2 mm
Weight	2.99 Kg
Basic dynamic load rating (C)	74.0 kN
Basic static load rating (C0)	27.7 kN
(Grease) Lubrication Speed	4000 r/min
(Oil) Lubrication Speed	4900 r/min
Calculation factor (e)	0.22
Calculation factor (Y0)	2.98
Calculation factor (Y1)	2.84
Inventory	0.0
Manufacturer Name	KOYO

Minimum Buy Quantity	N/A
Weight / Kilogram	3.232
EAN	0605790001925
Product Group	B00152
Mounting Method	Shaft
Enclosure	Open
Rolling Element	Ball Bearing
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 3 Deg
Long Description	70MM Bore; Shaft Mount; 150MM Outside Diameter; 35MM Inner Race Width; 35MM Outer Race Width; Open;
Inch – Metric	Metric
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Self Aligning
Manufacturer Item Number	1314
Weight / LBS	6.59181
Outside Diameter	5.906 Inch 150 Millimeter
Bore	2.756 Inch 70 Millimeter
Outer Race Width	1.378 Inch 35 Millimeter
Inner Race Width	1.378 Inch 35 Millimeter
Bearing No.	1314
r(min)	2.1
Cr	74.0

C0r	27.6
Cu	1.65
Grease lub.	4000
Oil lub.	4900
da(min)	81
Da(max)	139
ra(max)	2
e	0.22
Y1	2.84
Y2	4.40
Y0	2.98
(Refer.) Mass (kg)	2.99