

ISO 71922 CDB angular contact ball bearings

170 Million used ISO 71922 CDB angular contact ball bearings instantly searchable. Shop our large selection of 0.0 Inventory parts based on brand, price, description, and location. Order the with stock ...

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.064
EAN	4547359569018
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C3-Loose
Inch – Metric	Metric
Long Description	70MM Bore; 125MM Outside Diameter; 24MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No

Other Features	Deep Groove Non-Friction Nitrile Rubber Seal Electric Motor Grade
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6214LLBC3/EM
Weight / LBS	2.346
Outer Race Width	0.945 Inch 24 Millimeter
Inner Race Width	0 Inch 0 Millimeter
d	2.756 Inch 70 Millimeter
D	4.921 Inch 125 Millimeter
bore diameter:	70 mm
precision rating:	ISO Class 0
outside diameter:	125 mm
finish/coating:	Uncoated
overall width:	24 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	24 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	24 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	5100 rpm
internal clearance:	C3
fillet radius:	1.5 mm

operating temperature range:	-40 to 120 °C
maximum rpm:	6000 RPM
dynamic load capacity:	62000 N
series:	62
static load capacity:	44000 N
manufacturer product page:	Click here