

# ISO 7320 ADF angular contact ball bearings

With over 10170 full-service stores, our ISO 7320 ADF angular contact ball bearings 0.0 Inventory inventory is N/A Minimum Buy Quantity extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	15.27
EAN	0013992054869
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	LSE300BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	33.64
d	3 Inch   76.2 Millimeter
Actual Bolt Center to Center	10.6 Inch   270Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
D	2.559 Inch   65 Millimeter
Nominal Bolt Center to Center	10.6 Inch   270 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
B	3.74 Inch   95 Millimeter
Shaft Size	3 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Angled
Bolt Size	2 x M20
Dimension H	95 mm
Dimension H2	208 mm
Dimension J	260 mm
Dimension L	315 mm
Dimension M	90 mm
Housing Width	4.5 in
Cr – Dynamic Load Rating	31024 lbf
Cor – Static Load Rating	36194 lbf
Ca – Axial Load Rating	1708.53 lbf
Maximum Speed	3310 rpm

Note	This product line was formerly known as "Revolvo"
------	---