

ISO DAC38700038 angular contact ball bearings

How do you find the 4.0 Inventory ISO DAC38700038 angular contact ball bearings specification? Manufacturers Online Free check☐

Inventory	4.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.32
EAN	7316571913742
Product Group	B04264
Self Aligning	Yes
Rolling Element	Spherical Plain
Material – Outer Member	Stainless Steel
Material – Ball	Stainless Steel
Material – Liner	Teflon
Relubricatable	No
Enclosure	2 Seals
Other Features	2 Piece Corrosion Resistance Self Lubricating Triple Lip Heavy Duty Seals
Long Description	40MM Bore; 22MM Housing Width; 62MM Outside Diameter; Spherical Plain; Stainless Steel Outer Member;
Inch – Metric	Metric
UNSPSC	31171515
Harmonized Tariff Code	8483.30.80.70

Noun	Bearing
Keyword 3	Spherical
Keyword String	Plain Spherical Radial
Manufacturer Item Number	GE 40 TXG3E-2LS
Weight / LBS	0.705
D	62 mm
d	40 mm
B	28 mm
Housing Width	0.866 Inch 22 Millimeter
bore diameter:	40 mm
inner ring material:	Steel
outside diameter:	62 mm
outer ring width:	22 mm
misalignment angle:	6 °
race material:	PTFE Composite
inner ring width:	28 mm
radial static load capacity:	465 kN
bearing type:	Radial
radial dynamic load capacity:	280 kN
lubrication type:	Maintenance Free/Self-Lubricating
operating temperature range:	-50 to +150 °C °F
closure type:	Triple Lip Seals
overall width:	28 mm
outer ring material:	Stainless Steel
manufacturer upc number:	7316571913742
Lubricant	Maintenance free – dry lubrication

Design (sliding contact surface combination)	Steel/PTFE fabric
Sealing solution	Triple-lip seals
C	22 mm
α	7 °
dk	53 mm
r1 min.	0.6 mm
r2 min.	1 mm
da min.	43.5 mm
da max.	45 mm
Da min.	54.5 mm
Da max.	57.5 mm
ra max.	0.6 mm
rb max.	1 mm
Basic dynamic load rating C	280 kN
Basic static load rating C0	465 kN
Specific dynamic load factor K	300 N/mm ²
Specific static load factor K0	500 N/mm ²
Mass plain bearing	0.32 kg