

ISO NH2208 cylindrical roller bearings

ISO NH2208 cylindrical roller bearings Manufacturers , Online 38.1×76.2×23.812 Size (mm) Wholesale Suppliers !

Size (mm)	38.1×76.2×23.812
Bore Diameter (mm)	38,1
Outer Diameter (mm)	76,2
Width (mm)	23,812
d	38,1 mm
D	76,2 mm
T	23,812 mm
B	25,654 mm
C	19,05 mm
ra1 max.	0,8 mm
a	15,9 mm
r min.	3,5 mm
r1 min.	0,8 mm
Da	68 mm
db	43,5 mm
ra max.	3,5 mm
da	50 mm
Db	70 mm
Weight	0,503 Kg
Basic dynamic load rating (C)	73,5 kN
Basic static load rating (C0)	91 kN
(Grease) Lubrication Speed	5000 r/min
(Oil) Lubrication Speed	6700 r/min

Calculation factor (e)	0,3
Calculation factor (Y0)	1,1
LangID	1
ALP23	0
outer r	0.8
ALP22	52
D_	76.2
ALP21	22
SHOG_yobi	2788R/2729R
RAr	171.752
inner r	3.5
GRS rpm	5000
D_b	70
D_a	68
DE_	64.576
SLR	17.96
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	11.433
SDM_	55.994
DA1	9.166
DA2	8.211
hidYobi	2788/2729
Y1	2
B_	25.654
Oil rpm	6700
hidTable	ecat_NSTPRI
Y0	1.1
inner ra	3.5

outer rb	0.8
C0	91
CUP	0.191
e	0.3
DA_	8.691
BET21	3
BET22	3
BET23	30
Z_	17
C_	19.05
yobi	2788/2729
KBRG	3161
CONE	0.312
DI_	47.392