

ISO NJ10/710 cylindrical roller bearings

What are the types of ISO NJ10/710 cylindrical roller bearings ? 62 mm D Manufacturing 25 mm d Service . 17 mm B Get Your Free, Instant price, design review.

d	25 mm
D	62 mm
B	17 mm
E	54 mm
F	34 mm
d1	38 mm
rs min	1.1 mm
r1s min	1.1 mm
Radial clearance class	CN
Mass (without HJ ring)	0.25 kg
Dynamic load, C	41.5 kN
Static load, C0	37.5 kN
Fatigue limit load, Cu	4.55 kN
Nlim (oil)	13,000 rpm
Nlim (grease)	11,000 rpm
Min operating temperature, Tmin	-20 °C
Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.39 Hz
Characteristic rolling element frequency, BSF	4.17 Hz
Characteristic outer ring frequency, BPF0	4.25 Hz
Characteristic inner ring frequency, BRFI	6.75 Hz
da min	31.5 mm

dc min	40 mm
Da max	55.5 mm
ra max	1 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B04144