

ISO NJ100X180X60,3 cylindrical roller bearings

Shop 300x140x62 Size (mm) ISO NJ100X180X60,3 cylindrical roller bearings huge online discount inventory. and Import machinery parts your car needs with Free Shipping and Free 140 Outer Diameter (mm) Extended Warranty.

Size (mm)	300x140x62
Bore Diameter (mm)	300
Outer Diameter (mm)	140
Width (mm)	62
d	140 mm
D	300 mm
B	62 mm
d1	190.6 mm
D1	248.7 mm
r1,2 – min.	4 mm
da – min.	157 mm
Da – max.	283 mm
ra – max.	3 mm
Basic dynamic load rating – C	251 kN
Basic static load rating – C0	245 kN
Fatigue load limit – Pu	7.1 kN
Reference speed	4800 r/min
Limiting speed	3000 r/min
Calculation factor – kr	0.03
Calculation factor – f0	13.6
Inventory	0.0

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	140MM Bore; 300MM Outside Diameter; 62MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No F
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	18.5
Outer Race Width	2.441 Inch 62 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	5.512 Inch 140 Millimeter
Outside Diameter	11.811 Inch 300 Millimeter
d1 ≈	190.6 mm
D1 ≈	248.7 mm
r1,2 min.	4 mm

da min.	157 mm
Da max.	283 mm
ra max.	3 mm
Basic dynamic load rating C	251 kN
Basic static load rating C ₀	245 kN
Fatigue load limit P _u	7.1 kN
Calculation factor k _r	0.03
Calculation factor f ₀	13.6
Mass bearing	18.6 kg