

# ISO NJ3334 cylindrical roller bearings

Manufacturers of all 130 Outer Diameter (mm) are represented 60x130x31 Size (mm) in our partial list of clients. Contact Gary for a complete ISO NJ3334 cylindrical roller bearings list of clients and projects.

Size (mm)	60x130x31
Bore Diameter (mm)	60
Outer Diameter (mm)	130
Width (mm)	31
d	60 mm
D	130 mm
B	31 mm
C	31 mm
Angle ( $\alpha$ )	40 °
a	55.8 mm
r min.	2.1 mm
r1 min.	1.1 mm
da min.	72 mm
Da max.	118 mm
ra max.	2 mm
Weight	1.81 Kg
(Grease) Lubrication Speed	4600 r/min
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0

EAN	0605790368967
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	60MM Bore; 130MM Outside Diameter; 31MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Ba
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Outside Diameter	5.118 Inch   130 Millimeter
Width	1.22 Inch   31 Millimeter
Bore	2.362 Inch   60 Millimeter
Bearing No.	7312B
r(min)	2.1
r1(min)	1.1
Cr	113
C0r	65.8

Cu	4.30
f $\theta$	—
Grease lub.	3600
Oil lub.	4900
a(mm)	55.8
da(min)	72
Da(max)	118
ra(max)	2
(Refer.) Mass (kg)	1.81