

# ISO NK47/20 needle roller bearings

offers a ISO NK47/20 needle roller bearings selection of Genuine 0.0 Inventory at Wholesale Prices. N/A Minimum Buy Quantity We are a ISO NK47/20 needle roller bearings Certified Parts SKF Manufacturer Name Retailer

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	16.57
EAN	7316576663901
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Concentric Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	22218
Seals	Trigard
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Double Row   Heavy Duty   Single Collar   Locating Bearing   Open End   With Set Screw

Long Description	4 Bolt Pillow Block; 3-7/16" Bore; 3-3/4" Base to Center Height; Concentric Collar Mount;
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	FSYE 3.7/16 H
Weight / LBS	36.5
D	4.031 Inch   102.387 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
d	3.438 Inch   87.325 Millimeter
B	3.75 Inch   95.25 Millimeter
Bolt Spacing Minimum	10.563 Inch   268.3Millimeter
Bolt Spacing Maximum	11.438 Inch   290.525Millimeter
Nominal Bolt Center to Center	11 Inch   280 Millimeter
bore diameter:	3.4375 in
bolt center-to-center length:	11 in
overall length:	14.0000 in
base width:	4-1/2 in
overall height:	7.5000 in
expansion type:	Non-Expansion Bearing (Fixed)
mounting:	Four-Bolt Base
finish/coating:	Uncoated
bearing type:	Spherical Roller
seal type:	Tri-Guard
bore type:	Round
radial dynamic load capacity:	73500 lbf
housing construction:	Solid Pillow Block

radial static load capacity:	85000 lbf
base to bore centerline:	3.7500 in
maximum rpm:	1400 RPM
duty type:	Standard Duty
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	FSYE
locking device:	Concentric Collar
replacement bearing:	22218