

ISO NN3007 K cylindrical roller bearings

offers a 40 Bore Diameter (mm) ISO NN3007 K cylindrical roller bearings selection of Genuine at Wholesale Prices. We are a ISO NN3007 K cylindrical roller bearings Certified Parts Retailer

Bore Diameter (mm)	40
d	40 mm
V	105 mm
U	56,7 mm
Thread (Q)	Rp1/8
d3	58 mm
A	34,5 mm
A1	13 mm
B1	43,8 mm
H	172 mm
J	143,5 mm
L	105 mm
N	14 mm
A2	24 mm
Weight	1,54 Kg
Basic dynamic load rating (C)	32,5 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.844
EAN	4012802837148

Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	14 Millimeter
Relubricatable	Yes
Insert Part Number	GRAE40NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric
Long Description	2 Bolt Flange Block; 40MM Bore; 144MM Bolt Circle; 143.5MM Bolt Spacing; 1 Piece Solid; Eccentric Co
Other Features	Single Row With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	PCJT40N
Weight / LBS	3.969
Bore	1.575 Inch 40 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	5.7 Inch 144 Millimeter
Length Thru Bore	1.72 Inch 43.7 Millimeter

Cartridge Pilot Diameter	0 Inch 0 Millimeter
Bolt Spacing	5.65 Inch 143.5 Millimeter