

ISO NNF5032 XV cylindrical roller bearings

How do you find 45 Bore Diameter (mm) the ISO NNF5032 XV cylindrical roller bearings specification? Manufacturers Online Free 45 mm d check

| | |
|-------------------------------|------------------|
| Bore Diameter (mm) | 45 |
| d | 45 mm |
| Thread (Q) | Rp1/8 |
| Thread (K) | M12 |
| d3 | 63 mm |
| A | 48 mm |
| A1 | 32 mm |
| B1 | 56,5 mm |
| H | 54 mm |
| H2 | 107 mm |
| J | 95,3 mm |
| L | 120 mm |
| S | 34,9 mm |
| Weight | 2,31 Kg |
| Basic dynamic load rating (C) | 32,5 kN |
| Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 2.587 |
| Product Group | M06110 |
| Number of Mounting Holes | 2 |
| Mounting Method | Eccentric Collar |

| | |
|-------------------------------|---|
| Housing Style | 2 Bolt Tap Base Pillow Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 12 Millimeter |
| Relubricatable | Yes |
| Insert Part Number | GE45KPPB3 |
| Seals | Double Triply |
| Housing Configuration | 1 Piece Solid |
| Inch – Metric | Metric |
| Other Features | Single Row With Set Screw |
| Long Description | 2 Bolt Tap Base Pillow Block; 45MM Bore; 54MM Base to Center Height; Eccentric Collar Mount; Ball Be |
| UNSPSC | 31171511 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Pillow Block |
| Manufacturer Item Number | TSHE45 |
| Weight / LBS | 5.09 |
| Bolt Spacing Maximum | 0 Inch 0Millimeter |
| Actual Bolt Center to Center | 3.8 Inch 96Millimeter |
| Bolt Spacing Minimum | 0 Inch 0Millimeter |
| Bore | 1.772 Inch 45 Millimeter |
| Base to Center Height | 2.126 Inch 54 Millimeter |
| Length Thru Bore | 2.217 Inch 56.3 Millimeter |
| Nominal Bolt Center to Center | 3.8 Inch 97 Millimeter |