

ISO NUP1880 cylindrical roller bearings

Shop ISO NUP1880 cylindrical roller bearings 180 Outer Diameter (mm) huge 250x180x33 Size (mm) online discount inventory. and Import machinery parts your car needs with Free Shipping and Free Extended Warranty.

Size (mm)	250x180x33
Bore Diameter (mm)	250
Outer Diameter (mm)	180
Width (mm)	33
d	180 mm
D	250 mm
B	33 mm
d1	202.6 mm
D1	228.2 mm
r1,2 – min.	2 mm
da – min.	189 mm
Da – max.	241 mm
ra – max.	2 mm
Basic dynamic load rating – C	119 kN
Basic static load rating – C0	134 kN
Fatigue load limit – Pu	3.9 kN
Reference speed	5300 r/min
Limiting speed	4300 r/min
Calculation factor – kr	0.02
Calculation factor – f0	16.5
Inventory	0.0

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	5.15
EAN	7316577095398
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Brass
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	180MM Bore; 250MM Outside Diameter; 33MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; N
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	61936 MA
Weight / LBS	11.35
Bore	7.087 Inch 180 Millimeter
Outside Diameter	9.843 Inch 250 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
bore diameter:	180 mm
static load capacity:	134 kN
outside diameter:	250 mm

precision rating:	Not Rated
overall width:	33 mm
finish/coating:	Uncoated
bore type:	Round
cage material:	Brass
closure type:	Open
outer ring width:	33 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	2 mm
snap ring included:	Without Snap Ring
maximum rpm:	4300 RPM
internal clearance:	C0
series:	61
dynamic load capacity:	119 kN
d1 ≈	202.6 mm
D1 ≈	228.2 mm
r1,2 min.	2 mm
da min.	189 mm
Da max.	241 mm
ra max.	2 mm
Basic dynamic load rating C	119 kN
Basic static load rating C0	134 kN
Fatigue load limit Pu	3.9 kN
Calculation factor kr	0.02
Calculation factor f0	16.5
Mass bearing	4.99 kg