

# JNS NA 6913 needle roller bearings

LET OUR JNS NA 6913 needle roller bearings 58,738 Outer Diameter (mm) EXPERTS 30,162 Bore Diameter (mm) GET 30.162×58.738×14.684 Size (mm) YOU THE PARTS YOU NEED.

Size (mm)	30.162×58.738×14.684
Bore Diameter (mm)	30,162
Outer Diameter (mm)	58,738
Width (mm)	14,684
d	30,162 mm
D	58,738 mm
T	14,684 mm
B	15,08 mm
C	10,716 mm
ra1 max.	1 mm
a	13,3 mm
r min.	3,5 mm
r1 min.	1 mm
Da	52 mm
db	35 mm
ra max.	3,5 mm
da	41,5 mm
Db	55 mm
Weight	0,177 Kg
Basic dynamic load rating (C)	28,8 kN
Basic static load rating (C0)	33,5 kN
(Grease) Lubrication Speed	6000 r/min

(Oil) Lubrication Speed	8000 r/min
Calculation factor (e)	0,47
Calculation factor (Y0)	0,7
LangID	1
ALP23	0
outer r	1
ALP22	3
D_	58.738
ALP21	35
SHOG_yobi	08118R/08231R
RAr	88.826
inner r	3.5
GRS rpm	6000
D_b	55
D_a	52
DE_	50.733
SLR	9.3
Prod_Type3	TRBSR_ID_A
BETA_	2
ALPHA_	17.525
SDM_	45.061
DA1	6.2
DA2	5.554
hidYobi	08118/08231
Y1	1.3
B_	15.08
Oil rpm	8000
hidTable	ecat_NSTPRI
Y0	0.7

inner ra	3.5
outer rb	1
C0	33.5
CUP	0.057
e	0.47
DA_	5.879
BET21	4
BET22	0
BET23	0
Z_	19
C_	10.716
yobi	08118/08231
KBRG	3161
CONE	0.12
DI_	39.35