

KOYO 22334RHA spherical roller bearings

Can't find what 57 mm V you're looking for KOYO 22334RHA spherical roller bearings ? 15 Bore Diameter (mm) Our expert 15 mm d Representatives be in contact with you shortly!

| | |
|-------------------------------|------------------|
| Bore Diameter (mm) | 15 |
| d | 15 mm |
| V | 57 mm |
| U | 39,1 mm |
| Thread (Q) | M6 |
| d3 | 28 mm |
| A | 25 mm |
| A1 | 9,5 mm |
| B1 | 28,6 mm |
| H | 99 mm |
| J | 76,5 mm |
| L | 57 mm |
| N | 11,5 mm |
| A2 | 17 mm |
| Weight | 0,37 Kg |
| Basic dynamic load rating (C) | 9,8 kN |
| Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.4 |
| EAN | 4012802799477 |
| Product Group | M06110 |

| | |
|------------------------------------|--|
| Number of Mounting Holes | 2 |
| Mounting Method | Eccentric Collar |
| Housing Style | 2 Bolt Flange Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 11.5 Millimeter |
| Relubricatable | Yes |
| Insert Part Number | GRAE15NPPB |
| Seals | Double Lip Contact |
| Housing Configuration | 1 Piece Solid |
| Pilot Configuration | No Pilot |
| Inch – Metric | Metric |
| Long Description | 2 Bolt Flange Block; 15MM Bore; 76MM Bolt Circle; 76.5MM Bolt Spacing; 1 Piece Solid; Eccentric Coll |
| Other Features | Single Row With Set Screw |
| UNSPSC | 31171501 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Flanged |
| Manufacturer Item Number | PCJT15 |
| Weight / LBS | 0.882 |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Bore | 0.591 Inch 15 Millimeter |
| Cartridge Pilot Depth | 0 Inch 0 Millimeter |
| Length Thru Bore | 1.126 Inch 28.6 Millimeter |
| Nominal Bolt Circle Diameter Round | 3 Inch 76 Millimeter |

| | |
|--------------|------------------------------|
| Bolt Spacing | 3.012 Inch 76.5 Millimeter |
|--------------|------------------------------|