

# KOYO 775/772 tapered roller bearings

With over 10170 full-service stores, our KOYO 775/772 tapered roller bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving 0.0 Inventory time and your hard-earned dollars.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	5.602
EAN	7316577298256
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Withdrawal Nut	Not Applicable
Inch – Metric	Metric
Long Description	110MM Straight Bore; 180MM Outside Diameter; 56MM Width; C4-Extra Loose Clearance; Shaft Mount; Doub

UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	12.339
B	2.205 Inch   56 Millimeter
Adapter Part Number	Not Applicable Inch   Not Applicable Millimeter
d	4.331 Inch   110 Millimeter
D	7.087 Inch   180 Millimeter
bore diameter:	110 mm
maximum rpm:	3600 RPM
outside diameter:	180 mm
operating temperature range:	Maximum of +390 °F
overall width:	56 mm
cage material:	Steel
bore type:	Straight
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	56 mm
dynamic load capacity:	430 kN
fillet radius:	2 mm
static load capacity:	585 kN

series:	231
---------	-----