

KOYO BHTM1510 needle roller bearings

What are the dimensions of a KOYO BHTM1510 needle roller bearings? 0.0 Inventory Manufacturing Service . Get Your Free, Instant Quote N/A Minimum Buy Quantity

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.199
EAN	4547359080575
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	29/64 Inch
Relubricatable	Yes
Insert Part Number	A-JEL206-103D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	2 Bolt Flange Block; 1-3/16" Bore; 4.6" Bolt Circle; 4-19/32" Bolt Spacing; 1 Piece S

Other Features	Single Row Narrow Inner Race Has Trash Guard With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	JELFLU-1.3/16
Weight / LBS	0.44
Nominal Bolt Circle Diameter Round	4.6 Inch 117 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
D	1.406 Inch 35.7 Millimeter
d	1.188 Inch 30.175 Millimeter
Bolt Spacing	4.594 Inch 116.7 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
bore diameter:	1.1875 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt center-to-center length:	4.5938 in
seal type:	Contact Seal
overall length/diameter:	5.5938 in
length through bore:	1-27/32 in
bore type:	Round
finish/coating:	Uncoated
duty type:	Intermediate Duty
lubrication type:	Lubrication Fitting
mounting type:	Two-Bolt Flange
series:	JELFLU
housing material:	Cast Iron

standards met:	ISO, AFBMA
locking device:	Eccentric Collar
replacement bearing:	A-JEL206-103D1