

# KOYO HK0808 needle roller bearings

KOYO HK0808 needle roller bearings Engineering Calculator , 72 Outer Diameter (mm) Manufacturing Service . Get Your Free. 50x72x22 Size (mm)

Size (mm)	50x72x22
Bore Diameter (mm)	50
Outer Diameter (mm)	72
Width (mm)	22
d	50 mm
D	72 mm
B	22 mm
C	22 mm
r min.	0,6 mm
J	58 mm
K	63 mm
□	1 Tolerance h14
Da	68 mm
ra max.	0,6 mm
da	54 mm
Weight	0,3 Kg
Basic dynamic load rating (C)	49,5 kN
Basic static load rating (C0)	83 kN
(Grease) Lubrication Speed	2 000 r/min
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A

Weight / Kilogram	0.282
EAN	4547359184372
Product Group	B04144
Bore Profile	Straight
Cage Material	None
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Double Row
Separable	No
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	No
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Full Complement   3 Rib Inner Ring   2 Rib Outer Ring
Long Description	50MM Bore; Straight Bore Profile; 72MM Outside Diameter; 22MM Width; RBEC 1   ISO P0; Double Row; No
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	SL01-4910
Weight / LBS	0.623
Bore	1.969 Inch   50 Millimeter
Outside Diameter	2.835 Inch   72 Millimeter
Width	0.866 Inch   22 Millimeter

bore diameter:	1.9685 in
internal clearance:	CN
outside diameter:	2.8346 in
closure type:	Open
overall width:	0.8661 in
manufacturer upc number:	4547359184372
bore type:	Straight