## KOYO K15X20X13H needle roller bearings

KOYO K15X20X13H needle roller bearings manufacturer and global supplier of reliable ball and roller ... KOYO K15X20X13H needle roller bearings Industries Products Manufacturing & Engineering and 0.0 Inventory Agricultural Bearings designed to meet the unique requirements of our targeted industries.

| Inventory                 | 0.0   |
|---------------------------|---|
| Manufacturer Name         | REXNORD   |
| Minimum Buy Quantity      | N/A   |
| Weight                    | 0.694   |
| EAN                       | 0793699494174   |
| Product Group             | M06110  |
| Number of Mounting Holes  | 2   |
| Mounting Method           | Set Screw   |
| Housing Style             | 2 Bolt Pillow Block   |
| Rolling Element           | Ball Bearing  |
| Housing Material          | Polymer   |
| Expansion / Non-expansion | Non-expansion   |
| Mounting Bolts            | 12 Millimeter   |
| Relubricatable            | Yes   |
| Seals                     | Single Lip Contact  |
| Housing Configuration     | 1 Piece Solid   |
| Inch — Metric             | Metric  |
| Other Features            | Single Row   Intermediate Duty<br>  Black Housing   Stainless<br>Steel Insert   Closed End  <br>Extended Inne |

| Long Description              | 2 Bolt Pillow Block; 35MM Bore;<br>47.6MM Base to Center Height;<br>Set Screw Mount; Ball Bearing;<br>Relubri |
|-------------------------------|---|
| UNSPSC                        | 31171511  |
| Harmonized Tariff Code        | 8483.20.40.40   |
| Noun                          | Bearing   |
| Keyword String                | Pillow Block  |
| Manufacturer Item Number      | KPSS2M35DC  |
| Manufacturer Internal Number  | 0149417   |
| Weight / LBS                  | 1.984   |
| Bolt Spacing Minimum          | 0 Inch   0Millimeter  |
| В                             | 1.874 Inch   47.6 Millimeter  |
| Actual Bolt Center to Center  | 5 Inch   127Millimeter  |
| Nominal Bolt Center to Center | 5 Inch   127 Millimeter   |
| D                             | 1.562 Inch   39.67 Millimeter   |
| d                             | 1.378 Inch   35 Millimeter  |
| Bolt Spacing Maximum          | 0 Inch   0Millimeter  |