

KOYO KDX070 angular contact ball bearings

What Mounted Bearing Engineering Group are the dimensions of a KOYO KDX070 angular contact ball bearings? Manufacturing Service . Get Your Free, Instant Quote

| | |
|--------------------------|------------------------|
| Engineering Group | Mounted Bearing |
| Shaft Size | 4 in |
| Shaft Size Type | Imperial |
| Full Timken Part Number | QVPK22V400SB |
| Locking Style | Single V-Lock |
| Weight | 87 lb |
| Housing Style | Four-Bolt Pillow Block |
| UPC Code | 0883450055369 |
| Dimension A | 5.75 in |
| Dimension B | 10.78 in |
| Dimension C | 5.5 in |
| Dimension D Max | 15.56 in |
| Dimension D Min | 13.94 in |
| Dimension E | 4.00 in |
| Dimension F | 18.500 in |
| Dimension G | 6.2500 in |
| Dimension H | 1.80 in |
| Dimension L | 5.45 in |
| Dimension RV | 0.19 in |
| Dimension SV | 4.13 in |
| C0 – Static Load | 147000 lb |
| C – Dynamic Load (Basic) | 125000 lb |

| | |
|-------------------------------------|-----------|
| e – Geometry Factor | 0.25 |
| Y1 – Geometry Factor | 2.73 |
| Y2 – Geometry Factor | 4.06 |
| Oil Lubrication – M/N Seal | 900 rpm |
| Oil Lubrication – T Seal | 1700 rpm |
| Oil Lubrication – B/C/O Seal | 600 rpm |
| Grease Lubrication – M/N Seal | 900 rpm |
| Grease Lubrication – T Seal | 1200 rpm |
| Grease Lubrication – B/C/O Seal | 600 rpm |
| Float | 0.083 in |
| Shaft Tolerance | 0.0030 in |
| Eng Internal Radial Clearance – Min | 0.0053 |
| Eng Internal Radial Clearance – Max | 0.0067 |
| Pre Install Clearance Min | 0.0053 in |
| Pre Install Clearance Max | 0.0067 in |