

# KOYO NTA-3446 needle roller bearings

What 80 mm d is the best 51,3 mm U place to buy KOYO NTA-3446 needle roller bearings 80 Bore Diameter (mm) online? Manufacturing Service .

Bore Diameter (mm)	80
d	80 mm
U	51,3 mm
Thread (Q)	Rp1/8
Z	160 mm
A	31 mm
A1	18 mm
B	82,6 mm
H	220 mm
J	184 mm
N	18 mm
S	6 mm
A2	2 mm
Weight	5,43 Kg
Basic dynamic load rating (C)	72 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	6.107
EAN	4012802822779
Product Group	M06110
Number of Mounting Holes	4

Mounting Method	Set Screw
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	18 Millimeter
Relubricatable	Yes
Insert Part Number	GYE80KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 80MM Bore; 184MM Bolt Circle; 130.1MM Bolt Spacing; 1 Piece Solid; Se
Other Features	Single Row   Centering Spigot   With Grub Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RMEY80
Weight / LBS	12.635
Nominal Bolt Circle Diameter Round	7.2 Inch   184 Millimeter
Bore	3.15 Inch   80 Millimeter
Bolt Spacing	5.122 Inch   130.1 Millimeter
Cartridge Pilot Depth	0.276 Inch   7 Millimeter

Length Thru Bore	3.252 Inch   82.6 Millimeter
Cartridge Pilot Diameter	6.299 Inch   160 Millimeter