

# KOYO RNA040X50X34 needle roller bearings

Find the discount 30x72x19 Size (mm) KOYO RNA040X50X34 needle roller bearings 30 Bore Diameter (mm) online you need . We offer ... If you check out our large selection of KOYO RNA040X50X34 needle roller bearings once .

Size (mm)	30x72x19
Bore Diameter (mm)	30
Outer Diameter (mm)	72
Width (mm)	19
d	30 mm
D	72 mm
B	19 mm
C	19 mm
rn	0,5 mm
a	3,28 mm
b	1,9 mm
r min.	1,1 mm
r $\theta$ max.	0,6 mm
D1	68,81 mm
da min.	36,5 mm
da max	43 mm
Da max.	65,5 mm
ra max.	1 mm
Dx	80 mm
Cy	4,6 mm
Cz	1,7 mm

Weight	0,36 Kg
Basic dynamic load rating (C)	26,7 kN
Basic static load rating (C0)	15 kN
(Grease) Lubrication Speed	10 000 r/min
(Oil) Lubrication Speed	12 000 r/min
a min	3.07 mm
a max	3.28 mm
rs min	1.1 mm
rNs min	0.5 mm
D3 max	68.81 mm
b min	1.9 mm
b max	2.2 mm
r0 max	0.6 mm
Radial clearance class	CN
Mass	0.36 kg
Dynamic load, C	26.7 kN
Static load, C0	15 kN
Fatigue limit load, Cu	0.68 kN
f0	13.3
Nlim (oil)	12,000 rpm
Nlim (grease)	10,000 rpm
Min operating temperature, Tmin	-20 °C
Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.39 Hz
Characteristic rolling element frequency, BSF	4.14 Hz
Characteristic outer ring frequency, BPF0	3.08 Hz

Characteristic inner ring frequency, BRFI	4.92 Hz
da min	36.5 mm
Da max	65.5 mm
ra max	1 mm
rNa max	0.5 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.343
EAN	4547359387995
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	30MM Bore; 72MM Outside Diameter; 19MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No Fil
Other Features	Deep Groove   With Snap Ring Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing

Keyword String	Ball
Manufacturer Item Number	6306N
Weight / LBS	0.77
Bore	1.181 Inch   30 Millimeter
Outer Race Width	0.748 Inch   19 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	2.835 Inch   72 Millimeter