

# KOYO RS152117 needle roller bearings

offers 6 Bore Diameter (mm) a KOYO RS152117 needle roller bearings selection 6x19x9.8 Size (mm) of Genuine at Wholesale Prices. We are a KOYO RS152117 needle roller bearings Certified Parts Retailer

Size (mm)	6x19x9.8
Bore Diameter (mm)	6
Outer Diameter (mm)	19
Width (mm)	9,8
D	19 mm
d	6 mm
C	9.8 mm
B	10 mm
E	13 mm
F	10 mm
r1,2 – min.	0.3 mm
r3,4 – min.	0.3 mm
Basic dynamic load rating – C	3.7 kN
Basic static load rating – C0	4.5 kN
Fatigue load limit – Pu	0.5 kN
Maximum dynamic radial loads – Fr	4.2 kN
Maximum static radial loads – F0r	6.1 kN
Limiting speed	7000 r/min
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A

Weight / Kilogram	0.02
EAN	7316570352092
Product Group	B04144
Roller Surface Profile	Crowned
Profile	Yoke Type
Enclosure	Open
Rolling Element	Needle Bearing
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Caged   With Inner Ring
Long Description	6MM Bore; 19MM Roller Diameter; 9.8MM Roller Width; Crowned Roller; Yoke Type; Open; Needle Bearing;
UNSPSC	31171530
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Cam Follower
Manufacturer Item Number	ST0 6 TN
Weight / LBS	0.037
Roller Diameter	0.748 Inch   19 Millimeter
Bore	0.236 Inch   6 Millimeter
Roller Width	0.386 Inch   9.8 Millimeter
r1,2 min.	0.3 mm
r3,4 min.	0.3 mm
Basic dynamic load rating C	3.74 kN
Basic static load rating C0	4.5 kN
Fatigue load limit Pu	0.5 kN

Maximum dynamic radial load $F_{r \max}$ .	4.25 kN
Maximum static radial load $F_{0r \max}$ .	6.1 kN
Mass support roller	0.017 kg