

# KOYO RSU333722F needle roller bearings

What are N/A Minimum Buy Quantity the dimensions of a KOYO RSU333722F needle roller bearings? Manufacturing Service 0.0 Inventory . Get Your Free, Instant Quote

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.009
EAN	4547359235432
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	A-UEL207-104D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Single Row   Wide Inner Race   Low Base   Has Flinger   With Set Screw

Long Description	2 Bolt Pillow Block; 1-1/4" Bore; 1-13/16" Base to Center Height; Eccentric Collar Mount;
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	UELPL-1.1/4
Weight / LBS	0.02
B	1.813 Inch   46.05 Millimeter
Actual Bolt Center to Center	5.1 Inch   129Millimeter
D	2.012 Inch   51.1 Millimeter
Nominal Bolt Center to Center	5 Inch   127 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
d	1.25 Inch   31.75 Millimeter
mounting:	Two-Bolt Base
overall length:	166.688 mm
bore diameter:	1.2500 in
overall height:	91.281 mm
bore type:	Round
finish/coating:	Oxide
base to bore centerline:	1.8125 in
overall width:	2 in
duty type:	Normal Duty
base width:	47.625 mm
housing material:	Cast Iron
bolt center-to-center length:	130.175 mm
locking device:	Eccentric Collar

lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
end type:	Open
expansion type:	Non-Expansion Bearing (Fixed)
series:	UELPL