

# KOYO UCFL213E bearing units

What is KOYO UCFL213E bearing units in mechanical 0.0 Inventory engineering? REGAL BELoit Manufacturer Name Manufacturing Service . Upload your CAD file for an instant.

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | REGAL BELoit   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 59.02  |
| EAN                       | 0662461016657  |
| Product Group             | M06110   |
| Number of Mounting Holes  | 4  |
| Mounting Method           | Set Screw  |
| Housing Style             | 4 Bolt Pillow Block  |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 1 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | 2-5D   |
| Seals                     | Felt Labyrinth   |
| Housing Configuration     | 1 Piece Solid  |
| Inch – Metric             | Inch   |
| Other Features            | Single Row   Medium Duty   Has Flinger   With Set Screw                                    |
| Long Description          | 4 Bolt Pillow Block; 5" Bore; 6" Base to Center Height; Set Screw Mount; Ball Bearing; 14& |
| UNSPSC                    | 31171511   |

|                               |                               |
|-------------------------------|-------------------------------|
| Harmonized Tariff Code        | 8483.20.40.40                 |
| Noun                          | Bearing                       |
| Keyword String                | Pillow Block                  |
| Manufacturer Item Number      | MFPD-80                       |
| Manufacturer Internal Number  | 702289                        |
| Weight / LBS                  | 130                           |
| B                             | 6 Inch   152.4 Millimeter     |
| Nominal Bolt Center to Center | 15 Inch   381 Millimeter      |
| Bolt Spacing Maximum          | 16 Inch   406.4Millimeter     |
| Actual Bolt Center to Center  | 0 Inch   0Millimeter          |
| D                             | 5.75 Inch   146.05 Millimeter |
| Bolt Spacing Minimum          | 14 Inch   355.6Millimeter     |
| d                             | 5 Inch   127 Millimeter       |