

KOYO UCSP207H1S6 bearing units

Find the discount KOYO UCSP207H1S6 bearing units online you need . We offer ... If you check out 70x125x24 Size (mm) our large selection of KOYO UCSP207H1S6 bearing units once .

Size (mm)	70x125x24
Bore Diameter (mm)	70
Outer Diameter (mm)	125
Width (mm)	24
d	70 mm
D	125 mm
B	24 mm
C	24 mm
rn	0,5 mm
a	4,06 mm
b	3,1 mm
r min.	1,5 mm
r0 max.	0,6 mm
D1	120,22 mm
da min.	78 mm
da max	85 mm
Da max.	117 mm
ra max.	1,5 mm
Dx	136,5 mm
Cy	6,5 mm
Cz	2,9 mm
Weight	1,07 Kg

Basic dynamic load rating (C)	62 kN
Basic static load rating (C0)	44 kN
(Grease) Lubrication Speed	5 100 r/min
(Oil) Lubrication Speed	6 000 r/min
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.356
EAN	0692314548219
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	70MM Bore; 125MM Outside Diameter; 24MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Fi
Other Features	Deep Groove With Snap Ring Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball

Weight / LBS	2.3258
Outer Race Width	0.945 Inch 24 Millimeter
Bore	2.756 Inch 70 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	4.921 Inch 125 Millimeter