

# Loyal Radial Axial Bearing CRB12025 Cross Cylindrical Roller

Shop Loyal Radial Axial Bearing CRB12025 Cross Cylindrical Roller huge online discount inventory. and Import machinery parts your car needs with N/A Minimum Buy Quantity Free Shipping and Free TIMKEN Manufacturer Name Extended Warranty. 0.0 Inventory

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	4.064 lb
EAN	0087796265295
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	12 Millimeter
Relubricatable	Yes
Insert Part Number	GYE35KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch – Metric	Metric

Other Features	Single Row   Spherical   Normal Duty   Low Base   Black Housing   Powder Coated Epoxy Finish
Long Description	2 Bolt Pillow Block; 35MM Bore; 46MM Base to Center Height; Set Screw Mount; Ball Bearing; 105.6MM M
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	YAK 35 SGT
Weight / LBS	4.22
Bolt Spacing Minimum	4.157 Inch   105.6Millimeter
Bolt Spacing Maximum	6.094 Inch   154.8Millimeter
d	1.378 Inch   35 Millimeter
B	1.811 Inch   46 Millimeter
Nominal Bolt Center to Center	5.1 Inch   130 Millimeter
D	1.689 Inch   42.9 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
Shaft Size d	1.378 in
Bearing Type	Ball Bearing
Inside Ring Outside Diameter	1.844 in
Dimension T	0.921 in
Dimension D1	1.843 in
Series	Industrial
Seal Type	Shroud Seal
Base to Center Height H	46.04 mm
Total Length L	166.7 mm

Total Width A	1.843 in
Bolt Hole Spacing J	130.2 mm
Bolt Hole Width N	14.3 mm
Bolt Hole Length N1	24.6 mm
Foot Height H1	16.7 mm
Total Height H2	93.7 mm
Dimension L1	55.6 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Center of Bearing from End S	17 mm
Dimension B1	1.780 in
Static Load Rating	3440 lbf
Dynamic Load Rating	6400 lbf