

NACHI 23296E cylindrical roller bearings

With over 10170 full-service 250 Outer Diameter (mm) stores, our NACHI 23296E cylindrical roller bearings 150 Bore Diameter (mm) inventory is 150x250x92 Size (mm) extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.

| | |
|-------------------------------|------------|
| Size (mm) | 150x250x92 |
| Bore Diameter (mm) | 150 |
| Outer Diameter (mm) | 250 |
| Width (mm) | 92 |
| d | 150 mm |
| D | 250 mm |
| T | 92 mm |
| b | 26 mm |
| d1 | 245 mm |
| r min. | 2,1 mm |
| A | 89,5 mm |
| D1 | 154 mm |
| D2 | 200 mm |
| D3 | 260 mm |
| R | 200 mm |
| da min. | 209 mm |
| Da max. | 191 mm |
| ra max. | 2 mm |
| Weight | 20,5 Kg |
| Basic dynamic load rating (C) | 380 kN |

| | |
|-------------------------------|-------------|
| Basic static load rating (C0) | 1200 kN |
| (Grease) Lubrication Speed | 670 r/min |
| SRI | 18.85 |
| hidYobi | 53330XU |
| LangID | 1 |
| D_ | 250 |
| SREX | 0.125 |
| C | 380 |
| B_ | 92 |
| hidTable | ecat_NSSDTB |
| Oil rpm | 1000 |
| SRE | 18.85 |
| mass | 20.5 |
| GRS rpm | 670 |
| ra | 2 |
| SRIX | 0.125 |
| T4 | 92 |
| D_3 | 260 |
| D_a | 191 |
| SRIN | 0 |
| C0 | 1200 |
| D_2 | 200 |
| SREN | 0 |
| D_1 | 154 |
| Prod_Type3 | TB_SD_WASW |
| da | 209 |
| DA_ | 34.925 |
| Z_ | 16 |
| yobi | 53330XU |

| | |
|------|------|
| A_ | 89.5 |
| T3 | 83.7 |
| SDM_ | 200 |
| r | 2.1 |
| KBRG | 513 |
| R_ | 200 |