

NACHI 24124EX1 cylindrical roller bearings

NACHI 24124EX1 cylindrical roller bearings Industries and Applications ? We sell discount 85x45x19 Size (mm) online as well as cheap machinery parts.

Size (mm)	85x45x19
Bore Diameter (mm)	85
Outer Diameter (mm)	45
Width (mm)	19
d	45 mm
D	85 mm
B	19 mm
d2	53.5 mm
D2	76.35 mm
r1,2 – min.	1.1 mm
da – min.	51.5 mm
da – max.	53.5 mm
Da – max.	78.5 mm
ra – max.	1 mm
Basic dynamic load rating – C	28.1 kN
Basic static load rating – C0	20.4 kN
Fatigue load limit – Pu	0.865 kN
Limiting speed	5000 r/min
Calculation factor – kr	0.03
Calculation factor – f0	14.1
Inventory	0.0
Manufacturer Name	SKF

Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Stainless Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	45MM Bore; 85MM Outside Diameter; 19MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No
Other Features	Deep Groove NBR Seal
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	W 6209-2RS1
Weight / LBS	0.907
Bore	1.772 Inch 45 Millimeter
Outside Diameter	3.346 Inch 85 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.748 Inch 19 Millimeter
d2 ≈	53.5 mm
D2 ≈	76.35 mm

r _{1,2} min.	1.1 mm
d _a min.	51.5 mm
d _a max.	53.5 mm
D _a max.	78.5 mm
r _a max.	1 mm
Basic dynamic load rating C	28.1 kN
Basic static load rating C ₀	20.4 kN
Fatigue load limit P _u	0.865 kN
Calculation factor k _r	0.03
Calculation factor f ₀	14.1
Mass bearing	0.39 kg