

# NACHI 33275/33462 tapered roller bearings

The N/A Minimum Buy Quantity online NACHI 33275/33462 tapered roller bearings parts store gives you immediate access 0.0 Inventory to a selection of more than 1.4 million new, used, remanufactured.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	2
EAN	4547359213515
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	7/16 Inch
Relubricatable	Yes
Insert Part Number	UC208-109D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Inch

Long Description	4 Bolt Round Flange Cartridge; 1-9/16" Bore; 4.7" Bolt Circle; 3-11/32" Bolt Spacing;
Other Features	Single Row   Light Duty   Wide Inner Race   Spigot Joint   Has Flinger
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	UCFC208-109D1
Weight / LBS	4.4
Bolt Spacing	3.344 Inch   84.938 Millimeter
Nominal Bolt Circle Diameter Round	4.7 Inch   120 Millimeter
D	1.937 Inch   49.2 Millimeter
d	1.563 Inch   39.7 Millimeter
Cartridge Pilot Diameter	3.937 Inch   100 Millimeter
Cartridge Pilot Depth	0.391 Inch   9.931 Millimeter
bore diameter:	1.5625 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt circle diameter:	3.3438 in
length through bore:	2-1/64 in
overall length/diameter:	5.7188 in
finish/coating:	Uncoated
bore type:	Round
lubrication type:	Lubrication Fitting

mounting type:	Four-Bolt Piloted
series:	UCFC
housing material:	Cast Iron
standards met:	JIS
locking device:	Set Screw
replacement bearing:	UC208-109D1