

NACHI 6001-2NSE deep groove ball bearings

What is NACHI 6001-2NSE deep groove ball bearings in mechanical 140 Outer Diameter (mm) engineering? Manufacturing Service . Upload your CAD file for an instant. 50x140x54 Size (mm)

Size (mm)	50x140x54
Bore Diameter (mm)	50
Outer Diameter (mm)	140
Width (mm)	54
d	50 mm
D	140 mm
H	11 mm
d1	80 mm
D1	98 mm
H1	45 mm
r1,2 – min.	0.6 mm
r3,4 – min.	0.6 mm
a	166 mm
J	113 mm
da – min.	63 mm
Da – max.	98 mm
ra – max.	0.6 mm
Basic dynamic load rating – C	114 kN
Basic static load rating – C0	250 kN
Fatigue load limit – Pu	9.3 kN
Limiting speed	1700 r/min

Preload	5720 N
Frictional moment	2.6 N·m
Static Axial rigidity	1350 N/micron
Mass bearing	4.7 kg
Required attachment bolt size	M10
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	7316571986562
Product Group	B04270
Enclosure	2 Seals
Precision Class	ABEC 7 ISO P4
Material – Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	60 Degree
Raceway Style	Not Applicable
Cage Material	Polyamide
Rolling Element	Ball Bearing
Enclosure Type	Contact Seal
Flush Ground	No
Inch – Metric	Metric
Other Features	Double Row Angular Contact Thrust Bearing Double Direction
Long Description	50MM Bore; 140MM Outside Diameter; 54MM Width; 2 Seals Enclosure; ABEC 7 ISO P4 Precision; Steel B
UNSPSC	31171531

Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Ball Angular Contact
Manufacturer Item Number	BEAM 050140-2RS
Weight / LBS	0.408
Bore	1.969 Inch 50 Millimeter
Outside Diameter	5.512 Inch 140 Millimeter
Width	2.126 Inch 54 Millimeter