

NACHI 6007ZENR deep groove ball bearings

offers a NACHI 6007ZENR deep groove ball bearings selection of Genuine at Wholesale Prices. We are 26 Outer Diameter (mm) a NACHI 6007ZENR deep groove ball bearings Certified Parts Retailer 9x26x8 Size (mm) 9 Bore Diameter (mm)

Size (mm)	9x26x8
Bore Diameter (mm)	9
Outer Diameter (mm)	26
Width (mm)	8
d	9 mm
D	26 mm
B	8 mm
C	8 mm
r min.	0,6 mm
da min.	11 mm
Da max.	24 mm
ra max.	0,3 mm
Weight	0,0195 Kg
Basic dynamic load rating (C)	4,55 kN
Basic static load rating (C0)	1,97 kN
(Grease) Lubrication Speed	28 000 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.01
EAN	0029176016134

Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	9MM Bore; 26MM Outside Diameter; 8MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Fi
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	629
Weight / LBS	0.019
Bore	0.354 Inch 9 Millimeter
Outer Race Width	0.315 Inch 8 Millimeter
Outside Diameter	1.024 Inch 26 Millimeter
bore diameter:	9 mm
dynamic load capacity:	4550 N
outside diameter:	26 mm
static load capacity:	1970 N
overall width:	8 mm
precision rating:	ABEC 1 (ISO Class Normal)
bore type:	Round

finish/coating:	Uncoated
closure type:	Open
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	8 mm
snap ring included:	Without Snap Ring
fillet radius:	0.6 mm
internal clearance:	C0
maximum rpm:	34000 RPM
operating temperature range:	Maximum of +250 °F
series:	62
SRI	2.46
hidYobi	629
LangID	1
D_	26
SREX	0.015
B_	8
hidTable	ecat_NSESBM
C0r	201
Oil rpm	34000
SRE	2.67
mass	19.5
GRS rpm	28000
ra	0.3
SRIX	0.015
D_a	24
Cr	465
SRIN	-0.015
C0	1.97

fo	12.411
SREN	-0.015
DE_	22.762
Prod_Type3	ESM_MD_OT
da	11
DA_	4.762
Z_	7
yobi	629
SDM_	18
r	0.3
KBRG	6101
DI_	13.238
B0	8