

# NACHI 6209ZENR deep groove ball bearings

NACHI 6209ZENR deep groove ball bearings Warehouse offers car parts and 125 Bore Diameter (mm) car 125x70x24 Size (mm) accessories. We sell 70 Outer Diameter (mm) discount online as well as cheap machinery parts.

Size (mm)	125x70x24
Bore Diameter (mm)	125
Outer Diameter (mm)	70
Width (mm)	24
d	70 mm
D	125 mm
B	24 mm
d1	87.05 mm
D2	111 mm
da – min.	79 mm
Da – max.	116 mm
ra – max.	1.5 mm
Basic dynamic load rating – C	63.7 kN
Basic static load rating – C0	45 kN
Fatigue load limit – Pu	1.9 kN
Reference speed	15000 r/min
Limiting speed	8500 r/min
Calculation factor – kr	0.025
Calculation factor – f0	14.7
Inventory	0.0
Manufacturer Name	SKF

Minimum Buy Quantity	N/A
Weight / Kilogram	0.941
EAN	7316572070963
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Silicon Nitride Rolling Element   Electrical Insulated
Cage Material	Steel
Internal Clearance	C3-Loose
Inch – Metric	Metric
Long Description	70MM Bore; 125MM Outside Diameter; 24MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No Fi
Other Features	Deep Groove   Hybrid Silicon Nitride Rolling Element
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	1.1
Outside Diameter	4.921 Inch   125 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Bore	2.756 Inch   70 Millimeter
Outer Race Width	0.945 Inch   24 Millimeter

d1 ≈	87.05 mm
D2 ≈	111 mm
r1,2 min.	1.5 mm
da min.	79 mm
Da max.	116 mm
ra max.	1.5 mm
Basic dynamic load rating C	63.7 kN
Basic static load rating C0	45 kN
Fatigue load limit Pu	1.9 kN
Calculation factor kr	0.025
Calculation factor f0	14.7
Mass bearing	1.09 kg