

NACHI 6214ZZE deep groove ball bearings

We Provide Extensive 40 mm d NACHI 6214ZZE deep groove ball bearings 40 Bore Diameter (mm) Selection And Competitive Wholesale Pricing. 88.9 mm Da

Bore Diameter (mm)	40
d	40 mm
Da	88.9 mm
s1	34.9 mm
A1	14 mm
B1	56.3 mm
G	12 mm
H	171,5 mm
J	143,5 mm
L	102 mm
N	14 mm
T	58,9 mm
A2	14 mm
Weight	1,8 Kg
Basic dynamic load rating (C)	30,7 kN
Basic static load rating (C0)	19 kN
Fatigue load limit (Pu)	0,8
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	M06110

Housing material	Cast iron
Db1	98 mm
Db2	102 mm
A	38.5 mm
A3	3.2 mm
A5	23.5 mm
B4	6.75 mm
RG	1/4-28 UNF
R1	24.5 mm
R α	45 °
DN	6.5 mm
SWN	7 mm
GN	1/4-28 SAE-LT
J6	115.5 mm
J7	16 mm
N4	2 mm
Basic dynamic load rating C	30.7 kN
Basic static load rating C0	19 kN
Fatigue load limit Pu	0.8 kN
Limiting speed	4800 r/min
Mass bearing unit	1.65 kg
Thread grub screw G2	M10x1
Hexagonal key size for grub screw N	5 mm
Recommended tightening torque for grub screw	16.5 N·m
Recommended diameter for attachment bolts, mm G	12 mm
Recommended diameter for attachment bolts, inch G	0.5 in
Housing	FYTB 508 M
Bearing	YEL 208-2F

End cover

ECY 208